



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 37 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
345	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Feed, Poultry Feed, Mineral Mixture, Pet Food, Cereal supplements, Cattle feed, Compounded mineral mix	Moisture	IS 7874 (P-1) (RA 2014): 1975
346	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Feed, Poultry Feed, Mineral Mixture, Pet Food, Cereal supplements, Cattle feed, Compounded mineral mix	Phosphorus (as P)	IS 7874 (P-2) (RA 2014): 1975
347	CHEMICAL- ANIMAL FOOD & FEEDS	Animal Feed, Poultry Feed, Mineral Mixture, Pet Food, Cereal supplements, Cattle feed, Compounded mineral mix	Total Ash	IS 7874 (P-1) (RA 2014): 1975
348	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia (NH ₃)	Method 401, Methods of Air Sampling and analysis inter society committee Third Edn.: 1988
349	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia (NH ₃)	APHA 401 (AIR) : 2012
350	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Arsenic	Method 822, Methods of Air Sampling and analysis inter society committee, Third Edn.: 1988
351	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Arsenic (As)	APHA 3113A: 2012



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 38 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
352	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Benzene (C6H6)	IS 5182 (P-11) (RA 2017): 2006
353	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Carbon Monoxide (CO)	IS 5182 (P-10) (RA 2014): 1999
354	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Lead (Pb)	IS 5182 (P-22) (RA 2014): 2004
355	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Nickel	Method 822, Methods of Air Sampling and Analysis inter society committee, Third Edn.: 1988
356	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Nickel (Ni)	APHA (AIR): 2012
357	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Nitrogen Dioxide (NO2)	IS 5182 (P-6) (RA 2017): 2006
358	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Ozone (O3)	IS 5182 (P-9) (RA 2014): 1974
359	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter (PM2.5)	DTRL-SOP-QCC-157 Issue No. 01 June 17: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 39 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
360	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Respirable Particulate Matter (PM10)	IS 5182 (P-23) (RA 2017): 2006
361	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air	Sulphur Dioxide (SO2)	IS 5182 (P-2) (RA 2017): 2001
362	CHEMICAL-ATMOSPHERIC POLLUTION	Ambient Air (Meterological Testing)	Barometric Pressure	Instrument Manual by Automatic weather station: 2017
363	CHEMICAL-ATMOSPHERIC POLLUTION	Indoor Air Quality (At Site)	Illumination/ Light Intensity	IS 3646 (P-1) (RA 2013): 1992
364	CHEMICAL-ATMOSPHERIC POLLUTION	Noise- Source DG Set only	Noise level dB(A)	IS ISO 8528 P10 1998: 1968
365	CHEMICAL-ATMOSPHERIC POLLUTION	Noise-Ambient	Noise Level (Ambient Noise, Leq dB (A)	IS 9876 (RA 2013): 1981
366	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission	Lead (Pb)	IS 11255 (P-1) (RA 2014): 1985
367	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission	Oxide of Nitrogen (NOx)	IS 11255 (P-7) (RA 2017): 2005
368	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission	Sulphur Dioxide (SO2)	IS 11255 (P-2) (RA 2014): 1985



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name	DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6467	Page No. :	40 / 233
Validity	24/11/2019 to 23/11/2021	Last Amended on	26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
369	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission (At Site)	Carbon Dioxide (CO ₂)	IS 13270 (RA 2014): 1992
370	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission (At Site)	Carbon Monoxide (CO)	IS 5182 (P-10) (RA 2014): 1999
371	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission (At Site)	Oxygen (O ₂)	IS 13270 (RA 2014): 1992
372	CHEMICAL-ATMOSPHERIC POLLUTION	Stack Emission	Particulate Matter (PM)	IS 11255 (P-1 and P-3) (RA 2014): 1985
373	CHEMICAL- AYUSH PRODUCTS	Bhasma	Acid insoluble ash	API, Part II, Vol-1, Appendix 2.2.4: 2011
374	CHEMICAL- AYUSH PRODUCTS	Bhasma	Loss on Drying	API, Part II, Vol-1, Appendix 2.2.10: 2011
375	CHEMICAL- AYUSH PRODUCTS	Bhasma	Total Ash	API, Part II, Vol-1, Appendix 2.2.3: 2011
376	CHEMICAL- AYUSH PRODUCTS	Churan	Acid insoluble ash	API, Part II, Vol-1, Appendix 2.2.4: 2011
377	CHEMICAL- AYUSH PRODUCTS	Churan	Alcohol soluble extractives	API, Part II, Vol-1, Appendix 2.2.7: 2011
378	CHEMICAL- AYUSH PRODUCTS	Churan	Total ash	API, Part II, Vol-1, Appendix 2.2.3: 2011
379	CHEMICAL- AYUSH PRODUCTS	Churan	Water soluble extractives	API, Part II, Vol-1, Appendix 2.2.8: 2011



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 161 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1327	CHEMICAL-PESTICIDE FORMULATIONS	Malathion Technical	Moisture content	IS 6940 (RA 2017): 1982
1328	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Arsenic	USEPA 3050 B (1 to 12) Revision 2, Dec.: 1996
1329	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Cadmium (Cd)	USEPA 3050 B (1 to 12) Revision 2, Dec.: 1996
1330	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Calcium Carbonate	IS 2720(P-23) (RA 2010): 1976
1331	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Cation Exchange Capacity	IS 2720(P-24) (RA 2015): 1976
1332	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Cobalt	USEPA 3050 B (1 to 12) Revision 2, Dec.: 1996
1333	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Copper(Cu)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1334	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Electrical Conductivity (1:5)	IS 14767 (RA 2016): 2000
1335	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Extractable Phosphorus (as P)	DTRL-SOP-QCC-154 (Issue No. 01 June 2017) Based on M.L. Jackson: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 162 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1336	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Iron(Fe)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1337	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Lead (Pb)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1338	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Loss on Ignition	APHA 2540 23rd Edn.: 2017
1339	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Magnesium (Mg)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1340	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Manganese (Mn)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1341	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Moisture/Water Content	IS 2720(P-2) (RA 2015): 1973
1342	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Nickel	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1343	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Nitrate Nitrogen	DTRL-SOP-QCC-155(Issue No. 01, June 17) Base on M.L. Jackson: 2017
1344	CHEMICAL- POLLUTION & ENVIRONMENT	SOIL	Organic Carbon	IS 2720(P-22) (RA 2015): 1972



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 163 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1345	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Organic Matter	IS 2720(P-22) (RA 2015): 1972
1346	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	pH (1:2)	IS 10158: 1982
1347	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Selenium (Se)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1348	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Total Chromium (Cr)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1349	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Total Kjeldhal Nitrogen	DTRL-SOP-QCC-153, Issue No. 01 June 17: 2017
1350	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Total Nitrogen	IS 14684 (RA 2014): 1999
1351	CHEMICAL-POLLUTION & ENVIRONMENT	SOIL	Zinc (Zn)	USEPA 3050B (1 to 12) Revision 2, Dec.: 1996
1352	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Acidity	APHA 2310 B 23rd Edn.: 2017
1353	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Alkalinity	APHA 2320 B 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 164 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1354	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Aluminium	APHA 3120 23rd Edn.: 2017
1355	CHEMICAL-POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Ammonical Nitrogen as N	APHA 4500 23rd Edn. NH3 B,C: 2017
1356	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Antimony	APHA 3120 23rd Edn.: 2017
1357	CHEMICAL-POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Arsenic (as As)	APHA 23rd Edn. 3120: 2017
1358	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Barium (Ba)	APHA 3120 23rd Edn.: 2017
1359	CHEMICAL-POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Beryllium (Be)	APHA 3120 23rd Edn.: 2017
1360	CHEMICAL-POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Biochemical Oxygen Demand (BOD at 20 degree Celsius for 5 days)	APHA 23rd Edn. 5210: 2017
1361	CHEMICAL-POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Cadmium (as Cd)	APHA 23rd Edn. 3120: 2017
1362	CHEMICAL-POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Calcium(Ca)	APHA 23rd Edn. 3500 Ca B: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 165 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1363	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Chemical Oxygen Demand (COD)	APHA 23rd Edn. 5220 B: 2017
1364	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Chloride as Cl	APHA 23rd Edn. 4500 Cl- B: 2017
1365	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Chromium(Cr)	APHA 3120 23rd Edn. – B: 2017
1366	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Cobalt (as Co)	APHA 3120 23rd Edn.: 2017
1367	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Copper(Cu)	APHA 23rd Edn. 3120: 2017
1368	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Dissolve Oxygen (DO)	APHA 4500 23rd Edn. O-B,C: 2017
1369	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Electrical Conductivity	APHA 23rd Edn. 2510 B: 2017
1370	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Field/ On site measuring parameter-pH	APHA 4500 H-B 23rd Edn.: 2017
1371	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Field/ On site measuring parameter-Residual Free Chlorine	APHA 4500-Cl, B&C 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 166 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1372	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Field/ On site measuring parameter- Temperature	APHA 2550 B 23rd Edn.: 2017
1373	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Fixed Solids	APHA 2540 23rd Edn. G (Gravimetric Method): 2017
1374	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Fluoride as F	APHA 23rd Edn. 4500 F-B D: 2017
1375	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Free Ammonia as N	APHA 23rd Edn. 4500-NH3 B,C: 2017
1376	CHEMICAL- POLLUTION & ENVIRONMENT	Waste water, Industrial water, Industrial Effluent & Domestic Sewage	Hexavalent Chromium Cr+6	APHA 23rd Edn. 3500 B: 2017
1377	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Iron (As Fe)	APHA 3500 23rd Edn. - Fe B: 2017
1378	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Iron (as Fe)	APHA 3120 23rd Edn.: 2017
1379	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Lead (Pb)	APHA 3120 23rd Edn.- B: 2017
1380	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Magnesium (Mg)	APHA 3500 23rd Edn. -Mg B: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 167 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1381	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Manganese (Mn)	APHA 3120 23rd Edn.: 2017
1382	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Nickel	APHA 3120 23rd Edn.: 2017
1383	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Nitrate Nitrogen (as NO ₃)	APHA 4500 23rd Edn. B: 2017
1384	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Nitrite Nitrogen (NO ₂)	APHA 4500 23rd Edn. NO ₂ -B: 2017
1385	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Oil and grease	APHA 5520 23rd Edn. B: 2017
1386	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	pH	APHA 4500 23rd Edn. - H+B: 2017
1387	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Phenolic Compounds (as C ₆ H ₅ OH)	APHA 5530 23rd Edn. - B, C, D: 2017
1388	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Phosphate as P	APHA 4500-P B,C,D 23rd Edn.: 2017
1389	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Potassium (K)	APHA 3500 23rd Edn.- K B: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 168 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1390	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Residual Free Chlorine	APHA 4500 23rd Edn. CI-B: 2017
1391	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Selenium(Se)	APHA 3120 23rd Edn.: 2017
1392	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Silica	APHA 4500 23rd Edn. SiO ₂ .C: 2017
1393	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Silver	APHA 3120 23rd Edn.: 2017
1394	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Sodium (Na)	APHA 3500 23rd Edn. Na- B: 2017
1395	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Strontium	APHA 3120 23rd Edn.: 2017
1396	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Sulphate (SO ₄) 2-	APHA 4500 23rd Edn.- SO ₄ 2- B; SO ₄ 2-E. E: 2017
1397	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Sulphide (as H ₂ S)	APHA 4500 23rd Edn. S ₂ -F (Iodometric Method): 2017
1398	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Sulphite	APHA 4500 23rd Edn. - SO ₃ - B (Titrimetric Method): 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 169 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1399	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Temperature	APHA 2550 23rd Edn.- B: 2017
1400	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Tin (as Sn)	APHA 3120 23rd Edn.: 2017
1401	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Total Dissolve Solids	APHA 2540 23rd Edn. C: 2017
1402	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Total Hardness as CaCO ₃	APHA 2340-C 23rd Edn.: 2017
1403	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Total Kjeldhal Nitrogen	APHA 4500 23rd Edn.- Norg B: 2017
1404	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Total Solids	APHA 2540 23rd Edn. B: 2017
1405	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Total Suspended Solid	APHA 2540 23rd Edn. D: 2017
1406	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Turbidity	APHA 2130 23rd Edn. B: 2017
1407	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Vanadium (V)	APHA 3120 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 170 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1408	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Volatile Solids	APHA 2540.G 23rd Edn.: 2017
1409	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water, Industrial water, Industrial Effluent & Domestic sewage	Zinc(Zn)	APHA 3120 23rd Edn.: 2017
1410	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Alcoholic beverages (Whisky, Rum, Gin, Vodka, Brandy, Table Wine, Country spirit distillate, ENA, Tequila)	Copper	IS 4449 (RA 2015): 2005
1411	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Alcoholic beverages (Whisky, Rum, Gin, Vodka, Brandy, Table Wine, Country spirit distillate, ENA, Tequila)	Copper	IS 5286 (RA 2015): 2005
1412	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Alcoholic beverages (Whisky, Rum, Gin, Vodka, Brandy, Table Wine, Country spirit distillate, ENA, Tequila)	Copper	IS 4100 (RA 2015): 2005
1413	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Alcoholic beverages (Whisky, Rum, Gin, Vodka, Brandy, Table Wine, Country spirit distillate, ENA, Tequila)	Copper	IS 3752 (RA 2015): 2005
1414	CHEMICAL- RESIDUES IN FOOD PRODUCTS	Alcoholic beverages (Whisky, Rum, Gin, Vodka, Brandy, Table Wine, Country spirit distillate, ENA, Tequila)	Copper	IS 3811 (RA 2015): 2005



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 193 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1541	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Deltamethrin	DTRL-STP-QCC-250, Issue no. 01, March 01: 2019
1542	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Dicofol	DTRL-STP-QCC-250, Issue no. 01, March 01: 2019
1543	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Ethion	DTRL-STP-QCC-250, Issue no. 01, March 01: 2019
1544	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Lead	FSSAI Lab Manual-Metals, 5.0: 2016
1545	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Malathion	DTRL-STP-QCC-250, Issue no. 01, March 01: 2019
1546	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Mercury	DTRL-STP-QCC-262, Issue no. 01, March 01: 2019
1547	CHEMICAL-RESIDUES IN FOOD PRODUCTS	Vegetables & Vegetable products (Fresh & Thermally Processed Vegetables)	Tin	DTRL-STP-QCC-262, Issue no. 01, March 01: 2019
1548	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Aluminium	IS 3025(P-2) (RA 2019): 2004
1549	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Aluminium	IS 3025(P-55) (RA 2019): 2003
1550	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Arsenic	IS 3025(P-37) (RA 2019): 1988



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. :

194 / 233

Validity

24/11/2019 to 23/11/2021

Last Amended on

26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1551	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Arsenic	IS 3025(P-2) (RA 2019): 2004
1552	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Barium	IS 3025(P-2) (RA 2019): 2004
1553	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Boron	IS 3025(P-2) (RA 2019): 2004
1554	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Cadmium	IS 3025(P-2) (RA 2019): 2004
1555	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Cadmium	IS 3025(P-41) (RA 2019): 1992
1556	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Calcium	IS 3025(P-40) (RA 2019): 1991
1557	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Copper	IS 3025(P-42) (RA 2019): 1992
1558	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Copper	IS 3025(P-2) (RA 2019): 2004
1559	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Iron	IS 3025(P-2) (RA 2019): 2004
1560	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Iron	IS 3025(P-53) (RA 2019): 2003
1561	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Iron	IS 15303 (RA 2014): 2003
1562	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Lead	IS 3025(P-2) (RA 2019): 2004
1563	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Lead	IS 3025(P-47) (RA 2019): 1994



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 195 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1564	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Magnesium	IS 3025(P-46) (RA 2019): 1994
1565	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Magnesium	IS 3025(P-46) (RA 2019): 1994
1566	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Magnesium	IS 15303 (RA 2014): 2003
1567	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Manganese	IS 3025(P-59) (RA 2017): 2006
1568	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Manganese	IS 3025(P-2) (RA 2019): 2004
1569	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Manganese	IS 15303 (RA 2014): 2003
1570	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Mercury	IS 3025(P-2) (RA 2019): 2004
1571	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Mercury	IS 3025(P-48) (RA 2019): 1994
1572	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Molybdenum (as Mo)	IS 3025(P-2) (RA 2019): 2004
1573	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Nickel	IS 13428(Annex L) (RA 2014): 2005
1574	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Nickel	IS 3025(P-2) (RA 2019): 2004
1575	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Selenium	IS 3025(P-56) (RA 2019): 2003
1576	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Selenium	IS 3025(P-2) (RA 2019): 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. :

196 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on

26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1577	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Silver	IS 3025(P-2) (RA 2019): 2004
1578	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Silver	IS 13428(Annex J) (RA 2014): 2005
1579	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Total Chromium	IS 13428(Annex J) (RA 2014): 2005
1580	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Total Chromium	IS 3025(P-2) (RA 2019): 2004
1581	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Zinc	IS 3025(P-39) (RA 2019): 1991
1582	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water (IS 14543)	Zinc	IS 3025(P-2) (RA 2019): 2004
1583	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,2,3,4,4,5,5-Heptachlorobiphenyl (PCB 180)	APHA 6630 23rd Edn.: 2017
1584	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,2,3,4,4,5-Hexachlorobiphenyl (PCB 138)	APHA 6630 23rd Edn.: 2017
1585	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,2,4,4,5,5-Hexachlorobiphenyle (PCB 153)	APHA 6630 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name	DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6467	Page No. :	197 / 233
Validity	24/11/2019 to 23/11/2021	Last Amended on	26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1586	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,2,4,5,5-Pentachlorobiphenyl (PCB 101)	APHA 6630 23rd Edn.: 2017
1587	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,2,5,5-Tetrachlorobiphenyl (PCB52)	APHA 6630 23rd Edn.: 2017
1588	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,3,4,4,5-Pentachlorobiphenyl (PCB 118)	APHA 6630 23rd Edn.: 2017
1589	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2,4,4-Trichlorobiphenyl (PCB28)	APHA 6630 23rd Edn.: 2017
1590	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDD	AOAC 21st Edn.: 2019



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 198 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1591	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDD	USEPA 525.2, 507: 1995
1592	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDE	USEPA 525.2, 507: 1995
1593	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDE	AOAC 21st Edn.: 2019
1594	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDT	AOAC 21st Edn.: 2019
1595	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	2-4 DDT	USEPA 525.2, 507: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 199 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1596	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDD	USEPA 525.2, 507: 1995
1597	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDD	AOAC 21st Edn.: 2019
1598	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDE	USEPA 525.2, 507: 1995
1599	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDE	AOAC 21st Edn.: 2019
1600	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDT	USEPA 525.2, 507: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 200 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1601	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	4-4 DDT	AOAC 21st Edn.: 2019
1602	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Acenaphthlyne	APHA 6440 B&C 23rd Edn.: 2014
1603	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Aldrin	USEPA 525.2, 507: 1995
1604	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Aldrin	AOAC 21st Edn.: 2019
1605	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Alpha BHC	USEPA 525.2. 507: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 201 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1606	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Alpha BHC	AOAC 21st Edn.: 2019
1607	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Alpha Endosulphan	AOAC 21st Edn.: 2019
1608	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Alpha Endosulphan	USEPA 525.2, 507: 1995
1609	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Anthracene	APHA 6440 B&C 23rd Edn.: 2017
1610	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Atrazine	USEPA 525.2, 507: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 202 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1611	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Atrazine	AOAC 21st Edn.: 2019
1612	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Benzo (alfa) Anthracene	APHA 6440 B&C 23rd Edn.: 2017
1613	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Benzo (alpha) Pyrene	APHA 6440 B&C 23rd Edn.: 2017
1614	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Benzo (b) fluranthene	APHA 6440 B&C 23rd Edn.: 2017
1615	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Benzo (g,h,i) perylene	APHA 6440 B&C 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 203 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1616	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Benzo (k) fluranthene	APHA 6440 B&C 23rd Edn.: 2017
1617	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Beta BHC	USEPA 525.2, 507: 1995
1618	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Beta BHC	AOAC 21st Edn.: 2019
1619	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Beta Endosulpha	USEPA 525.2, 507: 1995
1620	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Beta Endosulphan	AOAC 21st Edn.: 2019



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 204 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1621	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Butachlor	USEPA 525.2, 507: 1995
1622	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Butachlor	AOAC 21st Edn.: 2019
1623	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Chlorpyrifos	AOAC 21st Edn.: 2019
1624	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Chlorpyrifos	USEPA 525.2, 507: 1995
1625	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Crysene	APHA 6440 B&C 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 205 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1626	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Delta BHC	USEPA 525.2, 507: 1995
1627	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Delta BHC	AOAC 21st Edn.: 2019
1628	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Dibenzo (a,h) anthracene	APHA 6440 B&C 23rd Edn.: 2017
1629	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Dieldrin	USEPA 525.2, 507: 1995
1630	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Dieldrin	AOAC 21st Edn.: 2019



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 206 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1631	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Ethion	USEPA 525.2, 507: 1995
1632	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Ethion	AOAC 21st Edn.: 2019
1633	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Fluoranthene	APHA 6440 B&C 23rd Edn.: 2017
1634	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Fluorene	APHA 6440 B&C 23rd Edn.: 2017
1635	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Gamma BHC (Lindane)	USEPA 525.2, 507: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 207 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1636	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Gamma BHC (Lindane)	AOAC 21st Edn.: 2019
1637	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Indedo (1,2,3-cd) Pyrene	APHA 6440 B&C 23rd Edn.: 2017
1638	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Malathion	USEPA 525.2, 507: 1995
1639	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Malathion	AOAC 21st Edn.: 2019
1640	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Naphthalene	APHA 6440 B&C 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 208 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1641	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Phenanthrene	APHA 6440 B&C 23rd Edn.: 2017
1642	CHEMICAL-RESIDUES IN WATER	Packaged Drinking Water, Packaged Natural Mineral Water, Potable Water, Borewell Water, Tube well water, RO water, Process Water	Pyrene	APHA 6440 B&C 23rd Edn.: 2017
1643	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Aluminium	IS 3025(P-55) (RA 2019): 2003
1644	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Aluminium	IS 3025(P-2) (RA 2019): 2004
1645	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Arsenic	IS 3025(P-37) (RA 2019): 1988
1646	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Arsenic	IS 3025(P-2) (RA 2019): 2004
1647	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Barium	IS 3025(P-2) (RA 2019): 2004
1648	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Boron	IS 3025(P-2) (RA 2019): 2004
1649	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Cadmium	IS 3025(P-41) (RA 2019): 1992
1650	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Cadmium	IS 3025(P-2) (RA 2019): 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 209 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1651	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Calcium	IS 3025(P-40) (RA 2019): 1991
1652	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Copper	IS 3025(P-42) (RA 2019): 1992
1653	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Copper	IS 3025(P-2) (RA 2019): 2004
1654	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Iron	IS 3025(P-2) (RA 2019): 2004
1655	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Iron	IS 15303 (RA 2014): 2003
1656	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Iron	IS 3025(P-53) (RA 2019): 2003
1657	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Lead	IS 3025(P-47) (RA 2019): 1994
1658	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Lead	IS 3025(P-2) (RA 2019): 2004
1659	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Magnesium	IS 15303 (RA 2014): 2003
1660	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Magnesium	IS 3025(P-46) (RA 2019): 1994
1661	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Manganese	IS 3025(P-59) (RA 2017): 2006
1662	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Manganese	IS 15303 (RA 2014): 2003
1663	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Manganese	IS 3025(P-2) (RA 2019): 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 210 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1664	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Mercury	IS 3025(P-48) (RA 2019): 1994
1665	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Mercury	IS 3025(P-2) (RA 2019): 2004
1666	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Molybdenum (as Mo)	IS 3025(P-2) (RA 2019): 2004
1667	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Nickel	IS 3025(P-2) (RA 2019): 2004
1668	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Nickel	IS 13428(Annex L) (RA 2014): 2005
1669	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Selenium	IS 3025(P-56) (RA 2019): 2003
1670	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Selenium	IS 3025(P-2) (RA 2019): 2004
1671	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Silver	S 13428(Annex J) (RA 2014): 2005
1672	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Silver	IS 3025(P-2) (RA 2019): 2004
1673	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Total Chromium	IS 3025(P-2) (RA 2019): 2004
1674	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Total Chromium	IS 13428(Annex J) (RA 2014): 2005
1675	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Zinc	IS 3025(P-2) (RA 2019): 2004
1676	CHEMICAL-RESIDUES IN WATER	Packaged Natural Mineral Water (IS 13428)	Zinc	IS 3025 (P-39) (RA 2019): 1991



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 211 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1677	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Aluminium	IS 3025(P-55) (RA 2019): 2003
1678	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Aluminium	IS 3025(P-2) (RA 2019): 2004
1679	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Arsenic	IS 3025(P-2) (RA 2019): 2004
1680	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Arsenic	IS 3025(P-37) (RA 2019): 1988
1681	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Barium	IS 3025(P-2) (RA 2019): 2004
1682	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Boron	IS 3025(P-2) (RA 2019): 2004
1683	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Cadmium	IS 3025(P-41) (RA 2019): 1992
1684	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Cadmium	IS 3025(P-2) (RA 2019): 2004
1685	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Calcium	IS 3025(P-40) (RA 2019): 1991



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 212 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1686	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Copper	IS 3025(P-42) (RA 2019): 1992
1687	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Copper	IS 3025(P-2) (RA 2019): 2004
1688	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Iron	IS 3025(P-2) (RA 2019): 2004
1689	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Iron	IS 3025(P-53) (RA 2019): 2003
1690	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Iron	IS 15303 (RA 2014): 2003
1691	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Lead	IS 3025(P-47) (RA 2019): 1994
1692	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Lead	IS 3025(P-2) (RA 2019): 2004
1693	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Magnesium	IS 3025 (P-46) (RA 2019): 1994
1694	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Magnesium	IS 15303 (RA 2014): 2003



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 213 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1695	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Manganese	IS 3025(P-2) (RA 2019): 2004
1696	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Manganese	IS 3025(P-59) (RA 2017): 2006
1697	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Manganese	IS 15303 (RA 2014): 2003
1698	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Mercury	IS 3025(P-2) (RA 2019): 2004
1699	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Mercury	IS 3025(P-48) (RA 2019): 1994
1700	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Molybdenaum (as Mo)	IS 3025(P-2) (RA 2019): 2004
1701	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Nickel	IS 3025(P-2) (RA 2019): 2004
1702	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Nickel	IS 3025 (P-54) (RA 2019): 2003
1703	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Selenium	IS 3025(P-2) (RA 2019): 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 214 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1704	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Selenium	IS 3025(P-56) (RA 2019): 2003
1705	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Silver	IS 13428(Annex J) (RA 2014): 2005
1706	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Silver	IS 3025(P-2) (RA 2019): 2004
1707	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Chromium	IS 3025(P-2) (RA 2019): 2004
1708	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Chromium	IS 3025(P-52) (RA 2019): 2003
1709	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Zinc	IS 3025(P-39) (RA 2019): 1991
1710	CHEMICAL-RESIDUES IN WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Zinc	IS 3025(P-2) (RA 2019): 2004
1711	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDD	AOAC 21st Edn.: 2019
1712	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDD	USEPA 525.2: 1995
1713	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDE	AOAC 21st Edn.: 2019



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 215 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1714	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDE	USEPA 525.2: 1995
1715	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDT	AOAC 21st Edn.: 2019
1716	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	2-4 DDT	USEPA 525.2: 1995
1717	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDD	AOAC 21st Edn.: 2019
1718	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDD	USEPA 525.2: 1995
1719	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDE	AOAC 21st Edn.: 2019
1720	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDE	USEPA 525.2: 1995
1721	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDT	AOAC 21st Edn.: 2019
1722	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	4-4 DDT	USEPA 525.2: 1995
1723	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Acenaphthylene	APHA 6440 B&C 23rd Edn.: 2017
1724	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Aldrin	AOAC 21st Edn.: 2019
1725	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Aldrin	USEPA 525.2: 1995
1726	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Alpha BHC	AOAC 21st Edn.: 2019



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 216 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1727	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Alpha BHC	USEPA 525.2: 1995
1728	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Alpha Endosulphan	AOAC 21st Edn.: 2019
1729	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Alpha Endosulphan	USEPA 525.2: 1995
1730	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Aluminium	IS 3025(P-2) (RA 2019): 2004
1731	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Aluminium	IS 3025(P-55) (RA 2019): 2003
1732	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Anthracene	APHA 6440 B&C 23rd Edn.: 2017
1733	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Arsenic	IS 3025(P-37) (RA 2019): 1988
1734	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Arsenic	IS 3025(P-2) (RA 2019): 2004
1735	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Atrazine	USEPA 525.2: 1995
1736	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Atrazine	AOAC 21st Edn.: 2019
1737	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Barium	IS 3025(P-2) (RA 2019): 2004
1738	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Benzo (alfa) Anthracene	APHA 6440 B&C 23rd Edn.: 2017
1739	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Benzo (alpha) Pyrene	APHA 6440 B&C 23rd Edn.: 2017



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 217 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1740	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Benzo (b) fluranthene	APHA 6440 B&C 23rd Edn.: 2017
1741	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Benzo (g,h,i) perylene	APHA 6440 B&C 23rd Edn.: 2017
1742	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Benzo (k) fluranthene	APHA 6440 B&C 23rd Edn.: 2017
1743	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Beta BHC	AOAC 21st Edn.: 2019
1744	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Beta BHC	USEPA 525.2: 1995
1745	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Beta Endosulphan	USEPA 525.2: 1995
1746	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Beta Endosulphan	AOAC 21st Edn.: 2019
1747	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Boron	IS 3025(P-2) (RA 2019): 2004
1748	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Butachlor	AOAC 21st Edn.: 2019
1749	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Butachlor	USEPA 525.2: 1995
1750	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Cadmium	IS 3025(P-2) (RA 2019): 2004
1751	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Cadmium	IS 3025(P-41) (RA 2019): 1992
1752	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Calcium Hardness (as CaCO ₃)	IS 3025(P-40) (RA 2019): 1991



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 218 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1753	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Chlorpyrifos	AOAC 21st Edn.: 2019
1754	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Chlorpyrifos	USEPA 525.5: 1995
1755	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Chromium	IS 3025(P-52) (RA 2019): 2003
1756	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Copper	IS 3025(P-42) (RA 2019): 1992
1757	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Copper	IS 3025(P-2) (RA 2019): 2004
1758	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Crysene	APHA 6440 B&C 23rd Edn.: 2017
1759	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Delta BHC	USEPA 525.2: 1995
1760	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Delta BHC	AOAC 21st Edn.: 2019
1761	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Dibenzo (a,h) anthracene	APHA 6440 B&C 23rd Edn.: 2017
1762	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Dieldrin	USEPA 525.2: 1995
1763	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Dieldrin	AOAC 21st Edn.: 2019
1764	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Ethion	AOAC 21st Edn.: 2019
1765	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Ethion	USEPA 525.2: 1995



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 219 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1766	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Fluoranthene	APHA 6440 B&C 23rd Edn.: 2017
1767	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Fluorene	APHA 6440 B&C 23rd Edn.: 2017
1768	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Gamma BHC (Lindane)	AOAC 21st Edn.: 2019
1769	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Gamma BHC (Lindane)	USEPA 525.2: 1995
1770	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Indeno (1,2,3-cd) Pyrene	APHA 6440 B&C 23rd Edn.: 2017
1771	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Iron	IS 3025(P-2) (RA 2019): 2004
1772	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Iron	IS 3025(P-53) (RA 2019): 2003
1773	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Lead	IS 3025(P-47) (RA 2019): 1994
1774	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Lead	IS 3025(P-2) (RA 2019): 2004
1775	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Magnesium	IS 3025(P-46) (RA 2019): 1994
1776	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Malathion	AOAC 21st Edn.: 2019
1777	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Malathion	USEPA 525.2: 1995
1778	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Manganese	IS 3025(P-59) (RA 2017): 2006



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 220 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1779	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Manganese	IS 3025(P-2) (RA 2019); 2004
1780	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Mercury	IS 3025(P-2) (RA 2019); 2004
1781	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Mercury	IS 3025(P-48) (RA 2019); 1994
1782	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Napthalene	APHA 6440 B&C 23rd Edn.: 2017
1783	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Nickel	IS 3025(P-2) (RA 2019); 2004
1784	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Nickel	IS 3025(P-54) (RA 2019); 2003
1785	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Phenanthrene	APHA 6440 B&C 23rd Edn.: 2017
1786	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Pyrene	APHA 6440 B&C 23rd Edn.: 2017
1787	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Selenium	IS 3025(P-2) (RA 2019); 2004
1788	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Selenium	IS 3025(P-56) (RA 2019); 2003
1789	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Silver	IS 3025(P-2) (RA 2019); 2004
1790	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Silver	IS 13428(Annex J) (RA 2014); 2005
1791	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Total Chromium	IS 3025(P-2) (RA 2019); 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 221 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1792	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Zinc	IS 3025(P-2) (RA 2019); 2004
1793	CHEMICAL-RESIDUES IN WATER	Surface Water (IS 2296)	Zinc	IS 3025(P-39) (RA 2019); 1991
1794	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Aluminium	IS 3025(P-55) (RA 2019); 2003
1795	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Aluminium	IS 3025(P-2) (RA 2019); 2004
1796	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Aluminium	IS 3025(P-2) (RA 2019); 2004
1797	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Arsenic	IS 3025(P-37) (RA 2019); 1988
1798	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Cadmium	IS 3025(P-41) (RA 2019); 1992
1799	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Calcium	IS 3025(P-40) (RA 2019); 1991
1800	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Chromium	IS 3025(P-52) (RA 2019); 2003
1801	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Copper	IS 3025(P-42) (RA 2019); 1992
1802	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Iron	IS 3025(P-53) (RA 2019); 2003
1803	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Iron	IS 3025(P-53) (RA 2019); 2003
1804	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Lead	IS 3025(P-2) (RA 2019); 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 222 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1805	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Lead	IS 3025(P-47) (RA 2019): 1994
1806	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Lead	IS 3025(P-2) (RA 2019): 2004
1807	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Magnesium	IS 3025(P-46) (RA 2019): 1994
1808	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Manganese	IS 3025(P-59) (RA 2017): 2006
1809	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Mercury	IS 3025(P-48) (RA 2019): 1994
1810	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Nickel	IS 3025(P-54) (RA 2019): 2003
1811	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Nickel	IS 3025(P-54) (RA 2019): 2003
1812	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Selenium	IS 3025(P-56) (RA 2019): 2003
1813	CHEMICAL-RESIDUES IN WATER	Swimming pool water (IS 3328)	Zinc	IS 3025(P-39) (RA 2019): 1991
1814	CHEMICAL-RESIDUES IN WATER	Water For Construction	Iron	APHA 4500B : 2017
1815	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Arsenic	IS 3025(P-2) (RA 2019): 2004
1816	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Chromium	IS 3025(P-2) (RA 2019): 2004
1817	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Copper	IS 3025(P-2) (RA 2019): 2004



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467

Page No. : 223 / 233

Validity 24/11/2019 to 23/11/2021

Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1818	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Iron	IS 3025(P-2) (RA 2019): 2004
1819	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Lead	IS 3025(P-2) (RA 2019): 2004
1820	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Magnesium	IS 3025(P-2) (RA 2019): 2004
1821	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Manganese	IS 3025(P-2) (RA 2019): 2004
1822	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Selenium	IS 3025(P-2) (RA 2019): 2004
1823	CHEMICAL-RESIDUES IN WATER	Water for Processed for Food Industry (IS 4251)	Zinc	IS 3025(P-2) (RA 2019): 2004
1824	CHEMICAL- WATER	Distilled & Demineralized Water	Colour etention of KMNO4	IS 1070 (RA 2019): 1992
1825	CHEMICAL- WATER	Distilled & Demineralized Water	Conductivity	IS 3025(P-14) (RA 2019): 1984
1826	CHEMICAL- WATER	Distilled & Demineralized Water	pH	IS 3025(P-11) (RA 2017): 1983
1827	CHEMICAL- WATER	Distilled & Demineralized Water	Silica	IS 3025(P-35) (RA 2019): 1988
1828	CHEMICAL- WATER	Distilled & Demineralized Water	Total Solids	IS 3025(P-15) (RA 2019): 1984
1829	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Ammonia	IS 3025(P-34) (RA 2019): 1988
1830	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Anionic Detergent (as MBAS)	IS 13428(Annex. K) (RA 2014): 2005



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 224 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1831	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Chloride (Cl)	IS 3025(P-32) (RA 2019): 1988
1832	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Colour	IS 3025(P-4) (RA 2017): 1983
1833	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Fluoride	APHA 4500 F-B,D 23rd Edn.: 2017
1834	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Nitrate	IS 3025(P-34) (RA 2019): 1988
1835	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Nitrate	APHA 4500-B 23rd Edn.: 2017
1836	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Odour	IS 3025 (P-5): 2018
1837	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	pH	IS 3025(P-11) (RA 2017): 1983
1838	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Phenolic compounds as C ₆ H ₅ OH	IS 3025(P-43) (RA 2019): 1992
1839	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Residual Free Chlorine	IS 3025(P-26) (RA 2019): 1986
1840	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Sulphate as SO ₄	IS 3025(P-24) (RA 2019): 1986
1841	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Sulphide (as H ₂ S)	IS 3025(P-29) (RA 2019): 1986
1842	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Taste	IS 3025(P-7&8) (RA 2017): 1984
1843	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Total Alkalinity (as CaCO ₃)	IS 3025 (P-23) (RA 2019): 1986



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 225 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1844	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Total dissolve solid	IS 3025(P-16) (RA 2017): 1984
1845	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Total Hardness (as CaCO ₃)	IS 3025(P-21) (RA 2019): 2009
1846	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Total solids	IS 3025(P-15) (RA 2019): 1984
1847	CHEMICAL- WATER	Packaged Drinking Water (IS 14543)	Turbidity, NTU	IS 3025 (P-10) (RA 2017): 1984
1848	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Ammonia	IS 3025(P-34) (RA 2019): 1988
1849	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Anionic Detergent (as MBAS)	IS 13428 (Annex. K) (RA 2014): 2005
1850	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Chloride (Cl)	IS 3025(P-32) (RA 2019): 1988
1851	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Colour	IS 3025(P-4) (RA 2017): 1983
1852	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Fluoride	APHA 4500 F-B,D 23rd Edn.: 2017
1853	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Nitrate	IS 3025(P-34) (RA 2019): 1988
1854	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Nitrate	APHA 4500-B 23rd Edn.: 2017
1855	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Odour	IS 3025 (P-5): 2018
1856	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	pH	IS 3025(P-11) (RA 2017): 1983



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name	DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6467	Page No. :	226 / 233
Validity	24/11/2019 to 23/11/2021	Last Amended on	26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1857	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Phenolic compounds (as C ₆ H ₅ OH)	IS 3025(P-43) (RA 2019): 1992
1858	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Residual Free Chlorine	IS 3025(P-26) (RA 2019): 1986
1859	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Sulphate	IS 3025(P-24) (RA 2019): 1986
1860	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Sulphide (as H ₂ S)	IS 3025(P-29) (RA 2019): 1986
1861	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Taste	IS 3025(P- 7 & 8) (RA 2017): 1984
1862	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Total Alkalinity (as CaCO ₃)	IS 3025(P-23) (RA 2019): 1986
1863	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Total dissolve solid	IS 3025(P-16) (RA 2017): 1984
1864	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Total Hardness (as CaCO ₃)	IS 3025(P-21) (RA 2019): 2009
1865	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Total Solids	IS 3025(P-15) (RA 2019): 1984
1866	CHEMICAL- WATER	Packaged Natural Mineral Water (IS 13428)	Turbidity, NTU	IS 3025(P-10) (RA 2017): 1984
1867	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Ammonia	IS 3025(P-34) (RA 2019): 1988
1868	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Anionic Detergent (as MBAS)	IS 13428 (Annex. K) (RA 2014): 2005



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 227 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1869	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Chloride	IS 3025(P-32) (RA 2019): 1988
1870	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Fluoride	APHA 4500 F-B,D 23rd Edn. : 2017
1871	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Nitrate	APHA 4500-B 23rd Edn.: 2017
1872	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Nitrate	IS 3025(P-34) (RA 2019): 1988
1873	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Odour	IS 3025 (P-5): 2018
1874	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	pH Value	IS 3025(P-11) (RA 2017): 1983
1875	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Phenolic compounds as C ₆ H ₅ OH	IS 3025(P-43) (RA 2019): 1992
1876	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Residual Free chlorine	IS 3025(P-26) (RA 2019): 1986
1877	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Sulphate (SO ₄)	IS 3025(P-24) (RA 2019): 1986



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 228 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1878	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Sulphide (as H ₂ S)	IS 3025(P-29) (RA 2019): 1986
1879	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Taste	IS 3025(P-7&8) (RA 2017): 1984
1880	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Alkalinity (as CaCO ₃)	IS 3025(P-23) (RA 2019): 1986
1881	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Dissolved solids	IS 3025(P-16) (RA 2017): 1984
1882	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Hardness (as CaCO ₃)	IS 3025(P-21) (RA 2019): 2009
1883	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Total Solids	IS 3025(P-15) (RA 2019): 1984
1884	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Turbidity (NTU)	IS 3025(P-10) (RA 2017): 1984
1885	CHEMICAL- WATER	Potable Water, Borewell Water, Tube well water, RO water, Process Water	Colour	IS 3025(P-4) (RA 2017): 1983
1886	CHEMICAL- WATER	Surface Water (IS 2296)	Ammonia	IS 3025(P-34) (RA 2019): 1988



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 229 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1887	CHEMICAL- WATER	Surface Water (IS 2296)	Ammonical Nitrogen	IS 3025(P-34) (RA 2019): 1988
1888	CHEMICAL- WATER	Surface Water (IS 2296)	Anionic Detergent (as MBAS)	IS 13428 (Annex.K) (RA 2014): 2005
1889	CHEMICAL- WATER	Surface Water (IS 2296)	Biochemical Oxygen Demand (BOD at 27 degree Celsius for 3 days)	IS 3025(P-44) (2019): 1993
1890	CHEMICAL- WATER	Surface Water (IS 2296)	Chloride	IS 3025(P-32) (RA 2019): 1988
1891	CHEMICAL- WATER	Surface Water (IS 2296)	Chromium (Hexavalent)	IS 3025(P-52) (RA 2019): 2003
1892	CHEMICAL- WATER	Surface Water (IS 2296)	Colour	IS 3025 (P-4) (RA 2017): 1983
1893	CHEMICAL- WATER	Surface Water (IS 2296)	Cyanide	IS 3025(P-27) (RA 2019): 1986
1894	CHEMICAL- WATER	Surface Water (IS 2296)	Dissolve Oxygen (DO)	IS 3025(P-38) (RA 2019): 1989
1895	CHEMICAL- WATER	Surface Water (IS 2296)	Electrical Conductivity	IS 3025(P-14) (RA 2019): 1984
1896	CHEMICAL- WATER	Surface Water (IS 2296)	Fluoride	APHA 4500 F-B,D 23rd Edn.: 2017
1897	CHEMICAL- WATER	Surface Water (IS 2296)	Free Carbon Dioxide (as CO ₂)	IS 3025(P-61) (RA 2019): 2008
1898	CHEMICAL- WATER	Surface Water (IS 2296)	Nitrate	APHA 4500-B 23rd Edn.: 2017
1899	CHEMICAL- WATER	Surface Water (IS 2296)	Nitrate	IS 3025(P-34) (RA 2019): 1988



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 230 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1900	CHEMICAL- WATER	Surface Water (IS 2296)	Odour	IS 3025 (P-5): 2018
1901	CHEMICAL- WATER	Surface Water (IS 2296)	Oil and Grease	IS 3025(P-39) (RA 2019): 1991
1902	CHEMICAL- WATER	Surface Water (IS 2296)	pH Value	IS 3025(P-11) (RA 2017): 1983
1903	CHEMICAL- WATER	Surface Water (IS 2296)	Phenolic Compounds as C6H5OH	IS 3025(P-43) (RA 2019): 1992
1904	CHEMICAL- WATER	Surface Water (IS 2296)	Residual Free Chlorine	IS 3025(P-26) (RA 2019): 1986
1905	CHEMICAL- WATER	Surface Water (IS 2296)	Residual Sodium Carbonate	IS 11624 (RA 2015): 1986
1906	CHEMICAL- WATER	Surface Water (IS 2296)	Sodium Absorption Ratio	IS 11624 (RA 2015): 1986
1907	CHEMICAL- WATER	Surface Water (IS 2296)	Sulphate (as SO ₄)	IS 3025(P-24) (RA 2019): 1986
1908	CHEMICAL- WATER	Surface Water (IS 2296)	Sulphide	IS 3025(P-29) (RA 2019): 1986
1909	CHEMICAL- WATER	Surface Water (IS 2296)	Total Alkalinity	IS 3025(P-23) (RA 2019): 1986
1910	CHEMICAL- WATER	Surface Water (IS 2296)	Total Alkalinity (as HCO ₃)	IS 3025(P-23) (RA 2019): 1986
1911	CHEMICAL- WATER	Surface Water (IS 2296)	Total Dissolved Solids	IS 3025(P-16) (RA 2017): 1984
1912	CHEMICAL- WATER	Surface Water (IS 2296)	Total Hardness (as CaCO ₃)	IS 3025(P-21) (RA : 2009



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 231 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1913	CHEMICAL- WATER	Surface Water (IS 2296)	Total Solids	IS 3025(P-15) (RA 2019): 1984
1914	CHEMICAL- WATER	Surface Water (IS 2296)	Turbidity (NTU)	IS 3025(P-10) (RA 2017): 1984
1915	CHEMICAL- WATER	Swimming pool water (IS 3328)	Chloride	IS 3025(P-32) (RA 2019): 1988
1916	CHEMICAL- WATER	Swimming pool water (IS 3328)	Colour	IS 3025(P-4) (RA 2017): 1983
1917	CHEMICAL- WATER	Swimming pool water (IS 3328)	Nitrate	IS 3025(P-34) (RA 2019): 1988
1918	CHEMICAL- WATER	Swimming pool water (IS 3328)	Odour	IS 3025(P-5) : 2018
1919	CHEMICAL- WATER	Swimming pool water (IS 3328)	Oxygen Absorbed in 4 Hrs.	IS 3025(P-51) (RA 2017): 2001
1920	CHEMICAL- WATER	Swimming pool water (IS 3328)	pH Value	IS 3025(P-11) (RA 2017): 1983
1921	CHEMICAL- WATER	Swimming pool water (IS 3328)	Residual Free Chlorine	IS 3025(P-26) (RA 2019): 1986
1922	CHEMICAL- WATER	Swimming pool water (IS 3328)	Silver	IS 13428(Annex J) (RA 2014): 2005
1923	CHEMICAL- WATER	Swimming pool water (IS 3328)	Taste	IS 3025(P-7 & 8) (RA 2017): 1984
1924	CHEMICAL- WATER	Swimming pool water (IS 3328)	Taste	IS 3025(P-8) (RA 2017): 1984
1925	CHEMICAL- WATER	Swimming pool water (IS 3328)	Total Alkalinity	IS 3025(P-23) (RA 2019): 1986



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 232 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1926	CHEMICAL- WATER	Swimming pool water (IS 3328)	Total Dissolved solids	IS 3025(P-16) (RA 2017): 1984
1927	CHEMICAL- WATER	Swimming pool water (IS 3328)	Total Hardness (as CaCO ₃)	IS 3025(P-21) (RA 2019): 2009
1928	CHEMICAL- WATER	Swimming pool water (IS 3328)	Total Solids	IS 3025(P-15) (RA 2019): 1984
1929	CHEMICAL- WATER	Swimming pool water (IS 3328)	Turbidity (NTU)	IS 3025(P-10) (RA 2017): 1984
1930	CHEMICAL- WATER	Water For Construction	suspended matter	APHA 2540 D, 23rd Edition: 2017
1931	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Chloride	IS 3025(P-32) (RA 2019): 1988
1932	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Inorganic Solids	IS 3025(P-18) (RA 2017): 1984
1933	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Organic Solids	IS 3025(P-18) (RA 2017): 1984
1934	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	pH	IS 3025(P-11) (RA 2017): 1983
1935	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Sulphate	IS 3025(P-24) (RA 2019): 1986
1936	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Water for Neutralization by Using Mixed Indicator	IS 3025(P-22) (RA 2019): 1986
1937	CHEMICAL- WATER	Water For Construction purpose (IS 456:2000)	Water for Neutralization by using Phenolphthalein indicator	IS 3025(P-23) (RA 2019): 1986
1938	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Chloride	IS 3025(P-32) (RA 2019): 1988



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name DEVANSH TESTING AND RESEARCH LABORATORY PVT LTD, 94, SHIV GANGA INDUSTRIAL ESTATE, LAKASHERI, BHAGWANPUR, ROORKEE, HARIDWAR, UTTARAKHAND , INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6467 Page No. : 233 / 233

Validity 24/11/2019 to 23/11/2021 Last Amended on 26/12/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1939	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Colour	IS 3025(P-4) (RA 2017): 1983
1940	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Fluoride	APHA 4500 F-B,D 23rd Edn. : 2017
1941	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Nitrate	IS 3025(P-34) (RA 2019): 1988
1942	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Odour	IS 3025(P-5): 2018
1943	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	pH	IS 3025(P-11) (RA 2017): 1983
1944	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Phenolic Compound as C6H5OH	IS 3025(P-43) (RA 2019): 1992
1945	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Sulphate	IS 3025(P-24) (RA 2019): 1986
1946	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Total Hardness (as CaCO ₃)	IS 3025(P-16) (RA 2017): 1984
1947	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Total Solids	IS 3025(P-15) (RA 2019): 1984
1948	CHEMICAL- WATER	Water for Processed for Food Industry (IS 4251)	Turbidity	IS 3025(P-10) (RA 2017): 1984

'NOTE- The Laboratory has demonstrated competence for the stated scope for WATER. This however does not fully cover the specification requirements of BIS for the Packaged Drinking Water as per IS 14543 and the Packaged Natural Mineral Water IS 13428.'